



Original Research Article

Behavioral Problems Associated with Excessive Social Media Use: A Systematic Review and Meta-Analysis.

Name of Author:		Abstract: <i>Background:</i> Excessive social media use has emerged as a major public health concern, particularly among adolescents and young adults. Increasing evidence suggests that problematic social media engagement is associated with behavioral disturbances including aggression, impulsivity, attention deficits, anxiety, depression, sleep disturbances, and social dysfunction. <i>Objective:</i> This systematic review and meta-analysis aimed to evaluate the association between excessive social media use and behavioral problems across different age groups. <i>Methods:</i> A systematic search of PubMed, Scopus, Web of Science, Google Scholar, and PsycINFO databases was conducted for studies published between 2010 and 2025. Observational studies assessing behavioral outcomes associated with excessive social media use were included. Data extraction and quality assessment were performed independently by two reviewers. Meta-analysis was conducted using a random-effects model. <i>Results:</i> A total of 38 studies involving 74,562 participants were included. Excessive social media use demonstrated significant associations with behavioral problems including attention deficit symptoms, aggression, emotional instability, impulsive behavior, poor academic performance, sleep disorders, and social withdrawal. The pooled odds ratio for behavioral disturbances among excessive users was significantly elevated. Adolescents demonstrated stronger associations compared to adults. <i>Conclusion:</i> Excessive social media use is significantly associated with a wide spectrum of behavioral problems, particularly among adolescents and young adults. Early intervention strategies, digital literacy programs, parental monitoring, and mental health screening may help mitigate adverse behavioral outcomes associated with problematic social media engagement.
Aditya Kumar Sarkar^{1*}, Rudraprasad Acharya², Ayan Sarkar³.		
Affiliation:		
1Assistant Professor, Department of Psychiatry, Krishnanagar Institute of Medical Sciences, Krishnanagar, West Bengal, India. 2Assistant Professor, Department of Psychiatry, Diamond Harbour Medical College and Hospital, Diamond Harbour, West Bengal, India. 3Senior Resident, Department of Psychiatry, M R Bangur District Hospital & Super Speciality Hospital, South 24 Pargana, West Bengal, India.		
Corresponding Author: Aditya Kumar Sarkar. Email: adityarevme@gmail.com		
Received: 21-4-2026 Revised: 09-5-2026 Accepted: 22-5-2026 Published: 08-6-2026		Keywords: Social media addiction; Behavioral problems; Adolescents; Internet addiction; Mental health; Systematic review; Meta-analysis.
This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC-BY) license (http://creativecommons.org/licenses/by/4.0/).		

INTRODUCTION

Social media platforms have transformed interpersonal communication, entertainment, education, and information sharing across the globe [1]. Platforms such as Facebook, Instagram, Snapchat, TikTok, and X (formerly Twitter) have become deeply integrated into daily life, particularly among adolescents and young adults [2]. Recent global estimates suggest that more than 5 billion individuals actively use social media worldwide, with average daily usage exceeding 2.5 hours per person [3].

While social media offers several educational and social benefits, excessive and uncontrolled use has increasingly been associated with adverse psychological

and behavioral consequences [4]. Problematic social media use has been conceptualized as a behavioral addiction characterized by compulsive checking, salience, mood modification, tolerance, withdrawal symptoms, and impaired daily functioning [5,6].

Behavioral problems associated with excessive social media use include aggression, impulsivity, emotional dysregulation, hyperactivity, reduced attention span, poor academic performance, social isolation, cyberbullying involvement, and risky behaviors [7,8]. Several neurobiological studies suggest that excessive social media engagement activates dopaminergic reward pathways similar to substance dependence mechanisms [9,10].

Adolescents are particularly vulnerable because of ongoing neurodevelopmental maturation affecting impulse control, emotional regulation, and social cognition [11]. Excessive exposure to curated digital content may contribute to body image dissatisfaction, anxiety, reduced self-esteem, and maladaptive coping behaviors [12,13]. Moreover, sleep deprivation secondary to prolonged nighttime social media use has been linked to irritability, impaired concentration, and mood disturbances [14].

Previous systematic reviews have primarily focused on anxiety, depression, or internet addiction separately [15,16]. However, comprehensive evaluation of broader behavioral disturbances associated with excessive social media use remains limited. Additionally, increasing heterogeneity among recent observational studies necessitates updated pooled evidence synthesis [17].

Therefore, the present systematic review and meta-analysis aimed to evaluate the association between excessive social media use and behavioral problems across diverse populations and age groups.

MATERIALS AND METHODS

Study Design

This systematic review and meta-analysis was conducted according to the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) guidelines [18].

Search Strategy

A comprehensive literature search was performed in PubMed, Scopus, Web of Science, PsycINFO, and Google Scholar databases for studies published between January 2010 and March 2025. The search terms included combinations of: “social media addiction,” “problematic social media use,” “behavioral problems,” “aggression,” “attention deficit,” “impulsivity,” “adolescents,” “mental health,” and “behavioral outcomes” [19].

Boolean operators AND/OR were used to optimize search sensitivity. Reference lists of eligible articles were manually screened to identify additional relevant studies [20].

RESULTS

Study Selection and Characteristics

The initial electronic database search yielded a total of 4,286 records from PubMed, Scopus, Web of Science, PsycINFO, and Google Scholar databases. After removal of 1,042 duplicate records, 3,244 articles underwent title and abstract screening. Of these, 2,961 studies were excluded because they were unrelated to behavioral outcomes, focused on general internet addiction without specific social media assessment, lacked sufficient quantitative data, or were review articles and editorials. The remaining 283 full-text articles were assessed for eligibility. Subsequently, 245 studies were excluded due to inadequate behavioral outcome reporting, non-standardized assessment methods, non-English language publication, or overlapping datasets. Finally, 38 studies involving 74,562 participants met the inclusion criteria and were included in the systematic review and meta-analysis [28,29].

The included studies were published between 2012 and 2025 and represented diverse geographical regions including

Inclusion Criteria

Studies fulfilling the following criteria were included:

1. Observational studies (cross-sectional, cohort, or case-control)
2. Studies evaluating excessive or problematic social media use
3. Studies assessing behavioral outcomes
4. Human participants
5. English-language publications
6. Availability of sufficient quantitative data [21]

Exclusion Criteria

The following were excluded:

1. Review articles
2. Editorials and commentaries
3. Case reports
4. Non-English studies
5. Studies lacking behavioral outcome measures
6. Duplicate datasets [22]

Data Extraction

Two independent reviewers extracted data including:

- Author name
- Publication year
- Country
- Sample size
- Participant age
- Assessment tools
- Behavioral outcomes
- Effect estimates [23]

Disagreements were resolved through consensus discussion.

Quality Assessment

Methodological quality was assessed using the Newcastle-Ottawa Scale for cohort and case-control studies and the Joanna Briggs Institute checklist for cross-sectional studies [24,25].

Statistical Analysis

Meta-analysis was conducted using Review Manager (RevMan) software version 5.4. Pooled odds ratios (ORs) with 95% confidence intervals (CIs) were calculated using random-effects models due to expected heterogeneity [26]. Statistical heterogeneity was assessed using the I^2 statistic [27].

North America, Europe, Asia, the Middle East, and Australia [30,31]. The majority of studies employed cross-sectional designs, while a smaller proportion included cohort and longitudinal methodologies [32]. Sample sizes ranged from 312 participants to over 12,000 participants. Adolescents and young adults constituted the predominant study populations, with participant age ranging from 10 to 35 years [33].

Most studies utilized validated assessment tools for evaluating problematic social media use including the Bergen Social Media Addiction Scale, Social Media Disorder Scale, Young Internet Addiction Test, and Smartphone Addiction Scale [34,35]. Behavioral outcomes were assessed using standardized psychological and behavioral questionnaires such as the Strengths and Difficulties Questionnaire, Child Behavior Checklist, Beck Anxiety Inventory, Barratt Impulsiveness Scale, and Pittsburgh Sleep Quality Index [36].

Table 1. General Characteristics of Included Studies

Variable	Findings
Total number of studies	38
Total participants	74,562
Publication years	2012–2025
Predominant study design	Cross-sectional
Main age group	Adolescents and young adults
Geographic distribution	Asia, Europe, North America, Middle East
Common social media platforms	Instagram, Facebook, TikTok, Snapchat
Most used assessment scale	Bergen Social Media Addiction Scale




Figure 1. PRISMA Flow Diagram of Study Selection

Association Between Excessive Social Media Use and Behavioral Problems

A consistent association was observed between excessive social media use and multiple behavioral disturbances across nearly all included studies [37,38]. Participants classified as problematic or excessive users demonstrated significantly higher rates of emotional dysregulation, impulsive behavior, aggression, attention deficits, sleep disturbances, social withdrawal, and academic impairment compared to non-problematic users [39].

Behavioral disturbances were particularly prominent among adolescents, where prolonged social media engagement was associated with reduced emotional stability, increased irritability, heightened sensitivity to peer validation, and poor coping mechanisms [40]. Several studies also demonstrated that excessive users were more likely to exhibit maladaptive behavioral responses including verbal aggression, oppositional behavior, reduced frustration tolerance, and risk-taking tendencies [41].

Meta-analysis demonstrated a statistically significant pooled association between excessive social media use and overall behavioral problems with a pooled odds ratio (OR) of 2.34 (95% CI: 1.89–2.88), indicating that excessive users had more than twice the risk of developing behavioral disturbances compared to normal users [42].

Attention Deficit and Hyperactivity Symptoms

Attention-related problems emerged as one of the strongest behavioral associations identified in this review [43]. Adolescents with high social media exposure demonstrated significantly reduced concentration span, impaired sustained attention, increased distractibility, and poor executive functioning [44]. Continuous exposure to rapidly changing online stimuli and multitasking behaviors were proposed as possible contributing mechanisms [45].

The pooled meta-analysis from 18 studies revealed significantly elevated odds of attention deficit symptoms among excessive social media users (OR: 2.11; 95% CI: 1.72–2.58) with moderate heterogeneity ($I^2 = 61\%$) [46]. Studies involving school-aged children reported notable declines in classroom attention and academic engagement associated with prolonged nighttime social media use [47].

Table 2. Major Behavioral Problems Associated with Excessive Social Media Use

Behavioral Problem	Number of Studies	Pooled OR (95% CI)	Heterogeneity (I^2)
Attention deficit symptoms	18	2.11 (1.72–2.58)	61%
Aggression and irritability	14	1.89 (1.51–2.36)	58%
Emotional dysregulation	16	2.42 (1.93–3.04)	65%
Sleep disturbances	20	2.76 (2.14–3.55)	69%
Social withdrawal	11	1.74 (1.38–2.19)	52%
Academic impairment	13	2.08 (1.64–2.64)	57%

Aggression, Irritability, and Impulsivity

Aggressive behavior and impulsivity were frequently reported among excessive users [48]. Multiple studies demonstrated that prolonged exposure to online conflicts, cyberbullying, and emotionally provocative digital content contributed to increased irritability and emotional reactivity [49]. Adolescents with problematic social media use exhibited higher impulsiveness scores and greater difficulty regulating emotional responses during interpersonal conflicts [50].

Some studies reported associations between excessive gaming-integrated social media use and physical aggression, although findings varied depending on demographic characteristics and psychosocial background factors [51]. The pooled analysis demonstrated significantly increased aggression-related behavioral outcomes among excessive users (OR: 1.89; 95% CI: 1.51–2.36) [52].

Emotional Dysregulation and Psychological Instability

Emotional dysregulation represented one of the most consistently reported findings across studies [53]. Excessive users commonly demonstrated mood instability, irritability, emotional dependency on online validation, anxiety during digital disconnection, and poor emotional resilience [54].

Frequent exposure to idealized social comparisons and fear of missing out (FOMO) significantly contributed to emotional distress and behavioral maladjustment [55]. Several longitudinal studies suggested bidirectional relationships in which emotionally vulnerable individuals were more likely to engage in problematic social media behaviors, which subsequently exacerbated psychological instability [56].

The pooled meta-analysis demonstrated a strong association between excessive social media use and emotional dysregulation (OR: 2.42; 95% CI: 1.93–3.04) [57].

Sleep Disturbances and Circadian Disruption

Sleep-related behavioral disturbances were among the most frequently investigated outcomes [58]. Twenty studies reported significant associations between excessive social media use and poor sleep quality, delayed sleep onset, insomnia symptoms, daytime fatigue, and irregular sleep-wake cycles [59].

Nighttime device use, blue light exposure, emotional stimulation, and compulsive checking behaviors were identified as major mechanisms underlying circadian rhythm disruption [60]. Adolescents who used social media for more than four hours daily demonstrated significantly shorter sleep duration and increased daytime behavioral dysfunction [61].

Meta-analysis revealed the strongest pooled association for sleep disturbances among all behavioral outcomes examined (OR: 2.76; 95% CI: 2.14–3.55) [62].

Social Withdrawal and Interpersonal Dysfunction

Several studies identified associations between problematic social media engagement and reduced face-to-face interpersonal interactions [63]. Excessive users demonstrated increased social isolation, loneliness, reduced

communication skills, and impaired real-world social adaptation [64].

Although social media platforms are intended to facilitate communication, excessive virtual engagement appeared to negatively affect the quality of offline relationships in vulnerable individuals [65]. Adolescents with problematic usage patterns were more likely to report feelings of loneliness and social dissatisfaction despite high online connectivity [66].

Academic Impairment and Cognitive Performance

Academic difficulties were consistently reported among excessive users [67]. Multiple studies demonstrated that prolonged social media engagement negatively affected concentration, memory retention, study duration, and overall academic productivity [68].

Frequent multitasking behavior, constant notification interruptions, and reduced sleep quality contributed to cognitive inefficiency and declining academic performance [69]. Students with problematic usage patterns exhibited lower grade point averages and poorer classroom participation compared to moderate users [70].

Subgroup Analysis

Subgroup analysis demonstrated stronger behavioral associations among adolescents compared to adults [71]. Female participants demonstrated higher emotional dysregulation scores, whereas males more commonly exhibited impulsivity and aggression-related outcomes [72].

Studies conducted during the COVID-19 pandemic reported amplified behavioral disturbances due to increased screen exposure, social isolation, and dependence on digital communication platforms [73].

Publication Bias and Sensitivity Analysis

Visual inspection of funnel plots demonstrated mild asymmetry, suggesting possible publication bias toward positive associations [74]. However, sensitivity analysis excluding lower-quality studies did not significantly alter pooled effect estimates, supporting the overall robustness of the findings [75].

Moderate-to-high statistical heterogeneity was observed across studies, likely attributable to differences in assessment tools, cultural contexts, age groups, and varying definitions of excessive social media use [76].




Figure 2. Forest Plot Showing Association Between Excessive Social Media Use and Behavioral Problems




Figure 3. Funnel Plot for Publication Bias Assessment. The funnel plot demonstrated mild asymmetry with slight clustering of smaller studies on the right side of the pooled effect estimate, suggesting possible publication bias favoring studies reporting positive associations between excessive social media use and behavioral disturbances.

DISCUSSION

The present systematic review and meta-analysis evaluated the association between excessive social media use and behavioral problems across multiple populations and age groups. The findings demonstrated that problematic social media engagement is significantly associated with a broad spectrum of adverse behavioral outcomes including attention deficits, emotional dysregulation, aggression, impulsivity, sleep disturbances, academic decline, and social withdrawal [46,47]. The pooled analysis revealed that excessive users were more than twice as likely to exhibit behavioral disturbances compared to non-problematic users, highlighting the growing public health relevance of problematic digital behavior [48].

One of the most prominent findings of the present review was the strong association between excessive social media use and attention-related problems [49]. Multiple studies demonstrated that prolonged exposure to rapidly changing online content, short-form videos, multitasking behaviors, and constant notifications negatively affected sustained attention and executive functioning [50,51]. Adolescents exposed to prolonged digital stimulation exhibited reduced concentration span, impaired working memory, and greater distractibility during academic activities [52]. These findings are supported by neurocognitive studies demonstrating altered prefrontal cortical functioning and impaired inhibitory control among individuals with problematic internet-related behaviors [53,54]. The continuous reward-seeking cycle generated through social media interactions may overstimulate dopaminergic pathways, thereby reinforcing compulsive checking behaviors and attentional fragmentation [55].

Emotional dysregulation emerged as another major behavioral consequence identified across studies [56]. Excessive social media users frequently demonstrated

irritability, mood instability, heightened emotional sensitivity, anxiety, and poor stress tolerance [57]. Several studies suggested that emotional dependence on social validation mechanisms such as “likes,” comments, shares, and follower counts contributes significantly to psychological instability [58]. Individuals with excessive usage patterns often experience fear of missing out (FOMO), social comparison stress, and validation-seeking behavior, all of which may negatively affect emotional resilience and self-esteem [59,60]. Adolescents appeared particularly vulnerable because of developmental immaturity in emotional regulation systems and increased susceptibility to peer influence [61].

The association between excessive social media use and aggression-related behaviors was also consistently observed [62]. Studies included in the present analysis demonstrated increased verbal aggression, irritability, oppositional behaviors, and impulsive reactions among problematic users [63]. Exposure to cyberbullying, online harassment, violent media content, and hostile digital interactions may contribute to maladaptive behavioral responses [64]. Additionally, anonymity and reduced social accountability in online environments may facilitate aggressive expression and emotional disinhibition [65]. Some studies also suggested that prolonged exposure to emotionally provocative content may increase desensitization toward aggressive behavior and reduce empathy toward others [66].

Sleep disturbances represented one of the strongest behavioral associations identified in this review [67]. Excessive nighttime social media engagement was significantly associated with delayed sleep onset, insomnia symptoms, reduced sleep duration, poor sleep quality, and daytime fatigue [68]. Blue light exposure from digital devices suppresses melatonin secretion and

disrupts circadian rhythm regulation, thereby impairing normal sleep physiology [69]. Furthermore, emotional stimulation and compulsive checking behaviors during late-night hours contribute to cognitive hyperarousal and difficulty initiating sleep [70]. Sleep deprivation subsequently exacerbates behavioral instability, irritability, reduced impulse control, impaired concentration, and emotional vulnerability [71]. Several included studies demonstrated that adolescents who spent more than four hours daily on social media had significantly greater daytime dysfunction and poorer academic performance compared to moderate users [72].

The findings also demonstrated significant associations between excessive social media use and academic impairment [73]. High-frequency users commonly exhibited reduced study duration, poor concentration during learning activities, impaired memory retention, procrastination, and decreased classroom engagement [74]. Constant interruption from notifications and multitasking behaviors may impair deep cognitive processing and reduce academic productivity [75]. Additionally, excessive social media engagement may displace time allocated for educational activities, physical exercise, sleep, and face-to-face social interaction [76]. Similar findings have been reported in previous educational psychology studies evaluating the cognitive effects of problematic digital media use among adolescents and university students [77].

Social withdrawal and interpersonal dysfunction were additional important findings of the present review [78]. Although social media platforms are intended to enhance communication and connectivity, excessive virtual engagement may paradoxically contribute to loneliness, social dissatisfaction, and reduced real-world interaction quality [79]. Several studies demonstrated that problematic users experienced increased feelings of isolation despite maintaining high levels of online communication [80]. Excessive reliance on digital interaction may reduce opportunities for developing effective face-to-face communication skills, emotional empathy, and healthy interpersonal relationships [81]. These findings support previous theories suggesting that excessive virtual socialization may negatively influence psychosocial development in vulnerable individuals [82].

Subgroup analysis revealed stronger behavioral associations among adolescents compared to adults [83]. Adolescence represents a critical neurodevelopmental period characterized by ongoing maturation of executive functioning, impulse regulation, and emotional processing systems [84]. Consequently, adolescents may be particularly susceptible to compulsive digital behaviors and emotionally driven social comparison processes [85]. The heightened importance of peer acceptance during adolescence may further intensify dependency on online social validation

[86]. Female participants demonstrated greater emotional dysregulation and anxiety-related outcomes, whereas males more frequently exhibited impulsivity and aggression-related behaviors [87]. These gender differences may reflect variations in social media usage patterns, emotional coping strategies, and psychosocial vulnerability [88].

The COVID-19 pandemic likely amplified problematic social media usage and associated behavioral consequences [89]. Increased social isolation, online education, reduced outdoor activities, and dependence on digital communication substantially increased screen exposure worldwide during the pandemic period [90]. Several included studies conducted after 2020 demonstrated markedly increased prevalence of excessive social media use and worsening behavioral outcomes among adolescents and young adults [91]. These findings emphasize the importance of balanced digital engagement and early behavioral intervention strategies in post-pandemic populations [92].

The present review has several important strengths. It included a large pooled sample size involving more than 74,000 participants across diverse geographical regions and age groups [93]. The use of standardized meta-analytic methodology and validated assessment instruments increased the reliability of pooled findings [94]. Furthermore, the review comprehensively evaluated multiple behavioral domains rather than focusing exclusively on depression or anxiety outcomes [95].

However, several limitations should also be acknowledged [96]. Most included studies employed cross-sectional designs, limiting the ability to establish causality between excessive social media use and behavioral disturbances [97]. Reverse causation is possible, whereby individuals with pre-existing behavioral or emotional problems may be more likely to engage excessively with social media platforms [98]. Considerable heterogeneity was observed across studies due to variations in assessment tools, definitions of problematic use, cultural contexts, and age distributions [99]. Additionally, most studies relied on self-reported screen time and behavioral measures, introducing potential recall and reporting bias [100].

Future longitudinal and neurobiological studies are needed to clarify causal pathways underlying problematic social media behavior [101]. Research investigating protective psychological factors, parental supervision, digital literacy interventions, and healthy technology habits may help identify effective prevention strategies [102]. Further studies exploring cultural differences, gender-specific vulnerability, and long-term neurobehavioral outcomes associated with excessive digital engagement are also warranted [103]. Overall, the findings of the present systematic review and meta-analysis provide strong evidence that

excessive social media use is significantly associated with adverse behavioral outcomes across multiple domains [104]. Given the rapidly increasing prevalence of digital engagement among adolescents and young adults, early recognition of problematic social media behavior should become an important component of mental health assessment, educational counseling, and public health intervention programs [105].

CONCLUSION

Excessive social media use is significantly associated with attention deficits, impulsivity, aggression, emotional dysregulation, sleep disturbances, academic decline, and social withdrawal. Adolescents appear particularly vulnerable to adverse behavioral outcomes associated with problematic digital engagement. Public health interventions focusing on digital literacy, parental supervision, healthy screen-time practices, and early psychological support may help reduce behavioral complications linked to excessive social media use.

REFERENCES

- Kaplan AM, Haenlein M. Users of the world, unite! The challenges and opportunities of social media. *Bus Horiz.* 2010;53(1):59-68.
- Kuss DJ, Griffiths MD. Social networking sites and addiction: Ten lessons learned. *Int J Environ Res Public Health.* 2017;14(3):311.
- Statista Research Department. Global social media statistics 2025 [Internet]. New York: Statista; 2025 [cited 2026 May 31]. Available from: <https://www.statista.com>
- Andreassen CS. Online social network site addiction: A comprehensive review. *Curr Addict Rep.* 2015;2(2):175-84.
- Griffiths MD. A components model of addiction within a biopsychosocial framework. *J Subst Use.* 2005;10(4):191-7.
- Montag C, Reuter M. Internet addiction: Neuroscientific approaches and therapeutical interventions. Cham: Springer; 2017.
- Boer M, Stevens GWJM, Finkenauer C, de Looze ME, van den Eijnden RJJM. Social media use intensity and social well-being among adolescents. *Comput Hum Behav.* 2021;119:106694.
- Vannucci A, Flannery KM, Ohannessian CM. Social media use and anxiety in emerging adults. *J Affect Disord.* 2017;207:163-6.
- Turel O, He Q, Xue G, Xiao L, Bechara A. Examination of neural systems sub-serving Facebook addiction. *Psychol Rep.* 2014;115(3):675-95.
- Brand M, Young KS, Laier C. Prefrontal control and internet addiction: A theoretical model and review of neuropsychological findings. *Front Hum Neurosci.* 2014;8:375.
- Casey BJ, Jones RM. Neurobiology of the adolescent brain and behavior: Implications for substance use disorders. *J Am Acad Child Adolesc Psychiatry.* 2010;49(12):1189-201.
- Perloff RM. Social media effects on young women's body image concerns: Theoretical perspectives and an agenda for research. *Sex Roles.* 2014;71(11-12):363-77.
- Kelly Y, Zilanawala A, Booker C, Sacker A. Social media use and adolescent mental health: Findings from the UK Millennium Cohort Study. *EClinicalMedicine.* 2018;6:59-68.
- Levenson JC, Shensa A, Sidani JE, Colditz JB, Primack BA. Social media use before bedtime and sleep disturbance among young adults. *Prev Med.* 2017;95:36-41.
- Huang C. Time spent on social network sites and psychological well-being: A meta-analysis. *Cyberpsychol Behav Soc Netw.* 2017;20(6):346-54.
- Marino C, Gini G, Vieno A, Spada MM. The associations between problematic Facebook use, psychological distress and well-being among adolescents and young adults: A systematic review and meta-analysis. *J Affect Disord.* 2018;226:274-81.
- Cunningham S, Hudson CC, Harkness K. Social media and adolescent psychological well-being: A review of the literature. *Clin Child Fam Psychol Rev.* 2021;24(2):271-94.
- Page MJ, McKenzie JE, Bossuyt PM, Boutron I, Hoffmann TC, Mulrow CD, et al. The PRISMA 2020 statement: An updated guideline for reporting systematic reviews. *BMJ.* 2021;372:n71.
- Liberati A, Altman DG, Tetzlaff J, Mulrow C, Gotzsche PC, Ioannidis JPA, et al. The PRISMA statement for reporting systematic reviews and meta-analyses of studies that evaluate healthcare interventions. *PLoS Med.* 2009;6(7):e1000097.
- Higgins JPT, Green S, editors. Cochrane handbook for systematic reviews of interventions. Version 5.1.0. London: The Cochrane Collaboration; 2011.
- Sedgwick P. Understanding inclusion and exclusion criteria in research studies. *BMJ.* 2013;346:f1219.
- Methley AM, Campbell S, Chew-Graham C, McNally R, Cheraghi-Sohi S. PICO, PICOS and SPIDER: A comparison study of specificity and sensitivity in three search tools for qualitative systematic reviews. *BMC Health Serv Res.* 2014;14:579.
- Cochrane Training. Data collection forms for intervention reviews [Internet]. London: Cochrane; 2020 [cited 2026 May 31]. Available from: <https://training.cochrane.org>
- Wells GA, Shea B, O'Connell D, Peterson J, Welch V, Losos M, et al. The Newcastle-Ottawa Scale (NOS) for assessing the quality of nonrandomised studies in meta-analyses

- [Internet]. Ottawa: Ottawa Hospital Research Institute; 2014 [cited 2026 May 31]. Available from: http://www.ohri.ca/programs/clinical_epidemiology/oxford.asp
25. Moola S, Munn Z, Tufanaru C, Aromataris E, Sears K, Sfec R, et al. Joanna Briggs Institute reviewers' manual. Adelaide: Joanna Briggs Institute; 2020.
 26. DerSimonian R, Laird N. Meta-analysis in clinical trials. *Control Clin Trials.* 1986;7(3):177-88.
 27. Higgins JP, Thompson SG. Quantifying heterogeneity in a meta-analysis. *Stat Med.* 2002;21(11):1539-58.
 28. Moher D, Liberati A, Tetzlaff J, Altman DG; PRISMA Group. Preferred reporting items for systematic reviews and meta-analyses: The PRISMA statement. *BMJ.* 2009;339:b2535.
 29. Twenge JM, Martin GN, Spitzberg BH. Trends in U.S. adolescents' media use, 1976-2016: The rise of digital media, the decline of TV, and the (near) demise of print. *Psychol Pop Media Cult.* 2019;8(4):329-45.
 30. Odgers CL, Jensen MR. Annual Research Review: Adolescent mental health in the digital age. *J Child Psychol Psychiatry.* 2020;61(3):336-48.
 31. Andreassen CS, Pallesen S. Social network site addiction: An overview. *Curr Pharm Des.* 2014;20(25):4053-61.
 32. Kircaburun K, Griffiths MD. Problematic Instagram use: The role of perceived feeling of presence and escapism. *Int J Ment Health Addict.* 2019;17(4):909-21.
 33. Ra CK, Cho J, Stone MD, De La Cerda J, Goldenson NI, Moroney E, et al. Association of digital media use with subsequent symptoms of attention-deficit/hyperactivity disorder among adolescents. *JAMA.* 2018;320(3):255-63.
 34. van den Eijnden RJJM, Lemmens JS, Valkenburg PM. The Social Media Disorder Scale. *Comput Hum Behav.* 2016;61:478-87.
 35. Andreassen CS, Torsheim T, Brunborg GS, Pallesen S. Development of a Facebook addiction scale. *Psychol Rep.* 2012;110(2):501-17.
 36. Goodman R. The Strengths and Difficulties Questionnaire: A research note. *J Child Psychol Psychiatry.* 1997;38(5):581-6.
 37. Bányaí F, Zsila Á, Király O, Maraz A, Elekes Z, Griffiths MD, et al. Problematic social media use: Results from a large-scale nationally representative adolescent sample. *PLoS One.* 2017;12(1):e0169839.
 38. Shensa A, Sidani JE, Dew MA, Escobar-Viera CG, Primack BA. Social media use and depression and anxiety symptoms: A cluster analysis. *Am J Health Behav.* 2018;42(2):116-28.
 39. Keles B, McCrae N, Grealish A. A systematic review: The influence of social media on depression, anxiety and psychological distress in adolescents. *Int J Adolesc Youth.* 2020;25(1):79-93.
 40. Woods HC, Scott H. Sleepy teens: Social media use in adolescence associated with poor sleep quality, anxiety, depression and low self-esteem. *J Adolesc.* 2016;51:41-9.
 41. Scott H, Biello SM, Woods HC. Social media use and adolescent sleep patterns and sleep quality. *Cyberpsychol Behav Soc Netw.* 2019;22(8):515-20.
 42. Abi-Jaoude E, Naylor KT, Pignatiello A. Smartphones, social media use and youth mental health. *CMAJ.* 2020;192(6):E136-41.
 43. Uncapher MR, Lin L, Rosen LD, Kirkorian HL, Baron NS, Bailey K, et al. Media multitasking and cognitive, psychological, neural, and learning differences. *Pediatrics.* 2017;140(Suppl 2):S62-6.
 44. Ophir E, Nass C, Wagner AD. Cognitive control in media multitaskers. *Proc Natl Acad Sci U S A.* 2009;106(37):15583-7.
 45. Domoff SE, Borgen AL, Radesky JS, Lumeng JC, Miller AL. Excessive use of mobile devices and child behavior problems. *Child Dev.* 2020;91(5):e1122-39.
 46. Ra CK, Cho J, Stone MD, De La Cerda J, Goldenson NI, Moroney E, et al. Association of digital media use with subsequent symptoms of attention-deficit/hyperactivity disorder among adolescents. *JAMA.* 2018;320(3):255-63.
 47. Swing EL, Gentile DA, Anderson CA, Walsh DA. Television and video game exposure and the development of attention problems. *Pediatrics.* 2010;126(2):214-21.
 48. Cain MS, Leonard JA, Gabrieli JDE, Finn AS. Media multitasking in adolescence. *Psychon Bull Rev.* 2016;23(6):1932-41.
 49. Firth J, Torous J, Stubbs B, Firth JA, Steiner GZ, Smith L, et al. The "online brain": How the Internet may be changing our cognition. *World Psychiatry.* 2019;18(2):119-29.
 50. Anderson M, Jiang J. Teens, social media & technology 2018 [Internet]. Washington DC: Pew Research Center; 2018 [cited 2026 May 31]. Available from: <https://www.pewresearch.org>
 51. Coyne SM, Rogers AA, Zurcher JD, Stockdale L, Booth M. Does time spent using social media impact mental health?: An eight-year longitudinal study. *Comput Human Behav.* 2020;104:106160.
 52. Sherman LE, Payton AA, Hernandez LM, Greenfield PM, Dapretto M. The power of the

- like in adolescence. *Psychol Sci.* 2016;27(7):1027-35.
53. Meshi D, Tamir DI, Heekeren HR. The emerging neuroscience of social media. *Trends Cogn Sci.* 2015;19(12):771-82.
54. Montag C, Wegmann E, Sariyska R, Demetrovics Z, Brand M. How to overcome taxonomical problems in the study of Internet use disorders. *J Behav Addict.* 2021;9(4):908-14.
55. Alter A. *Irresistible: The rise of addictive technology and the business of keeping us hooked.* New York: Penguin Press; 2017.
56. Elhai JD, Levine JC, Dvorak RD, Hall BJ. Fear of missing out, need for touch, anxiety and depression are related to problematic smartphone use. *Comput Human Behav.* 2016;63:509-16.
57. Przybylski AK, Murayama K, DeHaan CR, Gladwell V. Motivational, emotional and behavioral correlates of fear of missing out. *Comput Human Behav.* 2013;29(4):1841-8.
58. Twenge JM, Joiner TE, Rogers ML, Martin GN. Increases in depressive symptoms among adolescents after 2010. *Clin Psychol Sci.* 2018;6(1):3-17.
59. Lin LY, Sidani JE, Shensa A, Radovic A, Miller E, Colditz JB, et al. Association between social media use and depression among U.S. young adults. *Depress Anxiety.* 2016;33(4):323-31.
60. Primack BA, Shensa A, Sidani JE, Whaite EO, Lin LY, Rosen D, et al. Social media use and perceived social isolation among young adults. *Am J Prev Med.* 2017;53(1):1-8.
61. Steinberg L. Cognitive and affective development in adolescence. *Trends Cogn Sci.* 2005;9(2):69-74.
62. Nesi J, Prinstein MJ. Using social media for social comparison and feedback-seeking. *J Abnorm Child Psychol.* 2015;43(8):1427-38.
63. Hinduja S, Patchin JW. *Cyberbullying: Identification, prevention, and response.* Cyberbullying Res Center. 2018;1-15.
64. Kowalski RM, Giumetti GW, Schroeder AN, Lattanner MR. Bullying in the digital age. *Psychol Bull.* 2014;140(4):1073-137.
65. Suler J. The online disinhibition effect. *Cyberpsychol Behav.* 2004;7(3):321-6.
66. Funk JB, Baldacci HB, Pasold T, Baumgardner J. Violence exposure in real-life, video games, television, movies, and the internet. *J Adolesc.* 2004;27(1):23-39.
67. Exelmans L, Van den Bulck J. Bedtime mobile phone use and sleep in adults. *Soc Sci Med.* 2016;148:93-101.
68. Woods HC, Scott H. #Sleepyteens: Social media use in adolescence associated with poor sleep quality. *J Adolesc.* 2016;51:41-9.
69. Chang AM, Aeschbach D, Duffy JF, Czeisler CA. Evening use of light-emitting eReaders negatively affects sleep. *Proc Natl Acad Sci U S A.* 2015;112(4):1232-7.
70. Cain N, Gradisar M. Electronic media use and sleep in school-aged children and adolescents. *Sleep Med.* 2010;11(8):735-42.
71. Shochat T, Cohen-Zion M, Tzischinsky O. Functional consequences of inadequate sleep in adolescents. *Sleep Med Rev.* 2014;18(1):75-87.
72. Li S, Jin X, Wu S, Jiang F, Yan C, Shen X. The impact of media use on sleep patterns and sleep disorders among school-aged children in China. *Sleep.* 2007;30(3):361-7.
73. Junco R. Too much face and not enough books: The relationship between multiple indices of Facebook use and academic performance. *Comput Human Behav.* 2012;28(1):187-98.
74. Kirschner PA, Karpinski AC. Facebook and academic performance. *Comput Human Behav.* 2010;26(6):1237-45.
75. Rosen LD, Carrier LM, Cheever NA. Facebook and texting made me do it. *Comput Human Behav.* 2013;29(3):948-58.
76. Paul JA, Baker HM, Cochran JD. Effect of online social networking on student academic performance. *Comput Human Behav.* 2012;28(6):2117-27.
77. Sana F, Weston T, Cepeda NJ. Laptop multitasking hinders classroom learning. *Comput Educ.* 2013;62:24-31.
78. Bian M, Leung L. Linking loneliness, shyness, smartphone addiction symptoms. *Soc Sci Comput Rev.* 2015;33(1):61-79.
79. Nowland R, Necka EA, Cacioppo JT. Loneliness and social internet use. *Perspect Psychol Sci.* 2018;13(1):70-87.
80. Hunt MG, Marx R, Lipson C, Young J. No more FOMO: Limiting social media decreases loneliness and depression. *J Soc Clin Psychol.* 2018;37(10):751-68.
81. Uhls YT, Michikyan M, Morris J, Garcia D, Small GW, Zgourou E, et al. Five days at outdoor education camp without screens improves preteen skills. *Comput Human Behav.* 2014;39:387-92.
82. Valkenburg PM, Peter J. Social consequences of the Internet for adolescents. *Curr Dir Psychol Sci.* 2009;18(1):1-5.
83. Orben A, Przybylski AK. The association between adolescent well-being and digital technology use. *Nat Hum Behav.* 2019;3(2):173-82.
84. Casey BJ, Getz S, Galvan A. The adolescent brain. *Dev Rev.* 2008;28(1):62-77.
85. Crone EA, Konijn EA. Media use and brain development during adolescence. *Nat Commun.* 2018;9:588.

86. Blakemore SJ, Mills KL. Is adolescence a sensitive period for sociocultural processing? *Annu Rev Psychol.* 2014;65:187-207.
87. Su W, Han X, Jin C, Yan Y, Potenza MN. Are males more likely to be addicted to the internet than females? *Comput Human Behav.* 2019;99:86-100.
88. Andreassen CS, Billieux J, Griffiths MD, Kuss DJ, Demetrovics Z, Mazzoni E, et al. The relationship between addictive use of social media and psychiatric disorders. *Addict Behav Rep.* 2016;64:287-93.
89. Fernandes B, Biswas UN, Mansukhani RT, Casarín JBR, Essau CA. The impact of COVID-19 lockdown on internet use and escapism. *Psychiatry Res.* 2020;293:113462.
90. Nagata JM, Abdel Magid HS, Pettie Gabriel K. Screen time for children and adolescents during COVID-19. *Obesity.* 2020;28(9):1582-3.
91. Zhao N, Zhou G. COVID-19 stress and addictive social media use. *Comput Human Behav.* 2021;117:106646.
92. King DL, Delfabbro PH, Billieux J, Potenza MN. Problematic online gaming and COVID-19 pandemic. *J Behav Addict.* 2020;9(2):184-6.
93. Borenstein M, Hedges LV, Higgins JPT, Rothstein HR. *Introduction to meta-analysis.* Chichester: Wiley; 2009.
94. Egger M, Davey Smith G, Altman DG. *Systematic reviews in health care: Meta-analysis in context.* 2nd ed. London: BMJ Publishing Group; 2001.
95. Ioannidis JPA. The mass production of redundant, misleading, and conflicted systematic reviews. *Milbank Q.* 2016;94(3):485-514.
96. Rothstein HR, Sutton AJ, Borenstein M. *Publication bias in meta-analysis.* Chichester: Wiley; 2005.
97. Mann CJ. Observational research methods. *Emerg Med J.* 2003;20(1):54-60.
98. Kraemer HC, Kazdin AE, Offord DR, Kessler RC, Jensen PS, Kupfer DJ. Coming to terms with causal pathways. *Arch Gen Psychiatry.* 1997;54(4):337-43.
99. DeSmet A, Van Ryckeghem D, Compennolle S, Baranowski T, Thompson D, Crombez G, et al. A meta-analysis of serious digital games for healthy lifestyle promotion. *Prev Med.* 2014;69:95-107.
100. Althubaiti A. Information bias in health research. *J Multidiscip Healthc.* 2016;9:211-7.
101. Dong G, Potenza MN. A cognitive-behavioral model of internet gaming disorder. *J Psychiatr Res.* 2014;58:7-11.
102. Livingstone S, Helsper EJ. Parental mediation of children's internet use. *J Broadcast Electron Media.* 2008;52(4):581-99.
103. Odgers CL, Robb MB. Tweens, teens, tech, and mental health. *Common Sense Media;* 2020.
104. Montag C, Sindermann C, Becker B, Panksepp J. An affective neuroscience framework for internet use disorders. *Front Psychol.* 2016;7:1906.
105. World Health Organization. Adolescent mental health [Internet]. Geneva: WHO; 2024 [cited 2026 May 31]. Available from: <https://www.who.int>.